© Copyright 20	omposition De 2005. IPC, Bannock 21d Pan-American o	burn, Illinois. A	ll rights reserved utions.	under both	This docume level parts, t	ent is a declarati he declaration e	on of the su	ibstances v s all lower	vithin the manufactu level materials for v	urer listed which the	item. Note manufactur	: if the item is an a er has engineering	ssembly with low responsibility.	
				Form Type * Distribute	Declaration Class * Class 6 - RoHS Yes/No, Homogeneous Materi					rials and N	als and Mfg Information			
Supplier Information														
Company name*	Company uni	Company unique ID			Unique ID Authority					Response Date*				
onsemi										2024-0	2024-05-18			
ntact Name Title - Contact			et	-		Phone - Contact*				Email ·	Email - Contact*			
Product-Env-Stewards	Product Envi	Product Enviro Compliance			NA				Produ	Product-Env-Stewards@onsemi.com				
Authorized Representative* Title			Title - Representative			Phone - Representative*				Email ·	Email - Representative*			
Product-Env-Stewards	Product Enviro Compliance				NA				Produ	Product-Env-Stewards@onsemi.com				
Requester Item Number	Number Mfr Item N		Number Mfr Item Name		· · ·	Effective Date	e Date Version Manufacturing Site			Weight*	UOM	Unit Type		
	NCH-R ABG	NCH-RSL10-101Q48- ABG				2024-05-18		T	TWU		133.45	mg	Each	
Aanufacturing Proccess Info	rmation													
Terminal Plating / Grid Arr	ay Material	Iaterial Terminal Base Alloy		J-STD-020 MSL	Rating	Peak Process Body Temp		emperature	ature Max Time at Peak Ter		ture Nur	nber of Reflow Cy	cles	
Matte Tin (Sn) - annealed CU		CU Alloy 3		3		260 C		С	30 seco		seconds 3			
omments														
TTENTION: MSL 3 Rated item re	quires Bake and I	Dry Pack (after	electrical test)											
or more information regarding mat	terial composition	please refer to	page 3											

RoHS Material Composition Declaration				Declaration Type *	Detailed							
Directive 2015/863/EU amending RoHS Directive 2011/65/EU	(Pb), Mercury (Hg), Hexavalent Chror	RoHS Definition: Quantity limit of 0.01% by mass (100 PPM) in homogeneous material for Cadmium and quantity limit of 0.1% by mass (1000 PPM) in homogeneous material for: Lead (Pb), Mercury (Hg), Hexavalent Chromium (Cr6+), Polybrominated Biphenyls (PBB), Polybrominated Diphenyl Ethers (PBDE), and Bis(2-ethylhexyl) phthalate (DEHP), Benzyl-butyl phthalate (BBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP), Dibutyl phthalate (DBP).										
cadmium, hexavalentchromium, polybrominate contains a RoHS restricted substance inexcess encompass all such components. Supplier certif as of the date that Supplier completes this form Company acknowledges that Supplier may hav independently verified information provided by certification in this paragraph. If the Company a	ed biphenyls and/or polybrominated dip of an applicable quantity limit, please ir ies that it gathered the information it pro- .Supplier acknowledges that Company e relied on informationprovided by othe v others, Supplier agrees that, at a minin and the Supplier enter into a written agre pource of the Supplier's liability and the	henyl ethers (each a " ndicate below which, i ovides in this form us will rely on this certifiers in completing this num, itssuppliers have eement with respect to Company's remedies	RoHS restricted substance") in exce if any, RoHS exemption you believe ing appropriate methods to ensure if ication in determining the complian form, and that Supplier may not have e provided certifications regarding the to the identified part, the terms and cc for issues that arise regarding inform	ce of its products with European Union membe	ove. If a homogeneous material within the part er level components, the declaration shall l correct to the best of its knowledge and belief, r state laws that implement the RoHS Directive. wever, in situations where Supplier has not tions are at least as comprehensive as the anty rights and/or remedies provided as part of							
RoHS Declaration * 1 - Item(s)	does not contain RoHS restricted substa	on above	Supplier Acceptance	* Accepted								
Exemption: If the declared item does not con applicable exemptions.	ntain RoHS restricted substances per	the definition above	except for defined RoHS exempti	ons, then select the corresponding response i	n the RoHS Declaration above and choose all							
Exemption List Version	EL-2011/534/EU											
Declaration Signature												
Instructions: Complete all of the required fin Requester) and click on Submit Form to have	elds on all pages of this form. Select the form returned to the Requester	he "Accepted" on th	e Supplier Acceptance drop-down	. This will display the signature area. Digital	lly sign the declaration (if required by the							
Supplier Digital Signature Ra	stislav Drska	Le										

Homogeneous Material Composition Declaration for Electronic Products

SubItem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Iomogeneous Material Weight Unit of Mea		Unit of Measure	Level	Substance	CAS	Exempt	Weight	Unit of Measure
Die	15.0	mg	Supplier	Silicon (Si)	7440-21-3		15	mg
Die Attach	2.58	mg	Supplier	Isobornyl Methacrylate	7534-94-3		0.1548	mg
			Supplier	Silver (Ag)	7440-22-4		2.1027	mg
			Supplier	Isobornyl Acrylate	5888-33-5		0.1548	mg
			Supplier	Misc.	Proprietary Data		0.0129	mg
			Supplier	Tricyclo[5.2.1.02,6]decanedimethanol Diacrylate (C18H24O4)	42594-17-2		0.1548	mg
Lead Frame	78.55	mg	Supplier	Silver (Ag)	7440-22-4		0.7855	mg
			Supplier	Tin (Sn)	7440-31-5		0.1964	mg
			Supplier	Zinc (Zn)	7440-66-6		0.1728	mg
			Supplier	Chromium (Cr)	7440-47-3		0.1964	mg
			Supplier	Copper (Cu)	7440-50-8		77.1989	mg
Mold Compound-Black	34.32	mg	Supplier	Epoxy resins	129915-35-1		1.716	mg
			Supplier	Silica Amorphous (SiO2)	7631-86-9		1.716	mg
			Supplier	Carbon Black (C)	1333-86-4		0.1373	mg
			Supplier	Aluminum Hydroxide (Al(OH)3)	21645-51-2		0.7894	mg
			Supplier	Fused Silica (SiO2)	60676-86-0		29.172	mg
			Supplier	Phenolic Resin (Novolac)	9003-35-4		0.7894	mg
Plating	2.46	mg	Supplier	Tin (Sn)	7440-31-5		2.46	mg
Wire Bond - Au	0.54	mg	Supplier	Gold (Au)	7440-57-5		0.54	mg

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).